

SAFETY DATA SHEET

Issue Date 26-May-2015

Revision Date 27-May-2015

Version 1

1. IDENTIFICATION

Product identifier Matte 50

Other means of identificationProduct CodeFG00105SynonymsFG00105

Recommended use of the chemical and restrictions on useRecommended UseConcrete Sealer Additive.Uses advised againstNo Data

Details of the supplier of the safety data sheet Manufacturer Address Surface Koatings, Inc. 134 Davis Street Portland, TN 37148 Telephone (615) 323-9461

Emergency telephone numberCompany Phone Number(615) 323-946124 Hour Emergency Phone Number800-535-5053 (United States & Canada), International Call: 1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Oral	Category 5
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 2
Flammable liquids Category 2, Hazardous to the Aquatic Environmen	t - Long Term (Chronic) Hazard Category 2

Label elements

Emergency Overview

Danger!

Hazard statements Highly flammable Suspected of Causing Cancer Toxic to Aquatic Life with Long Lasting Effects Causes Serious Eye Irritation May Cause Respiratory Irritation May Cause Drowsiness or Dizziness May be Harmful if Swallowed May be Harmful if Swallowed and Enters Airways Causes Skin Irritation



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating / lighting/ .? / equipment Use only non-sparking tools Take action to prevent static discharges Avoid breathing dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Use only outdoors or in a well-ventilated area Avoid release to the environment Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower If skin irritation occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF SWALLOWED: Immediately call a POISON CONTROL CENTER/doctor Do NOT induce vomiting. Take off contaminated clothing and wash before reuse In case of fire use, "alcohol resistant" foam, dry chemical, halon or carbon dioxide to extinguish. Collect spillage

Precautionary Statements - Storage

Store in well-ventilated place. Keep Cool. Keep container tightly closed. Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
tert-Butyl acetate	540-88-5	30 - 60	*

Dimethyl carbonate	616-38-6	30 - 60	*
Silicon Dioxide (Chemically Prepared) 112926-00-8 10 - 30 *			
*The event percentage (concentration) of composition has been withhold as a trade corret			aarat

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES		
Description of first aid meas	sures	
General advice	Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the doctor in attendance.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.	
Ingestion	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.	
Most important symptoms a	and effects, both acute and delayed	
Symptoms	Eye, Skin, and Respiratory Irritation.	
Indication of any immediate	medical attention and special treatment needed	
Note to physicians	Treat symptomatically. For additional information, see Safety Data Sheet.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry Chemical, Alcohol Resistant Foam, Halon or Carbon Dioxide.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

In a fire or if heated a pressure increase may occur and the container may burst.

Hazardous combustion productsCarbon dioxide (CO2). Carbon monoxide.

Explosion data

Sensitivity to Mechanical ImpactNot available.Sensitivity to Static DischargeMay be ignited by friction, heat, sparks or flames.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation, especially in confined areas.

		nition. Evacuate personnel to safe a losive concentrations. Vapors can a		
Environmental precautions				
Environmental precautions	Prevent further leakage c or waterways.	Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains or waterways.		
Methods and material for contai	nment and cleaning up			
Methods for containment	Prevent further leakage c	r spillage if safe to do so. Dike to co	llect large liquid spills.	
Methods for cleaning up	Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal. Use clean non-sparking tools to collect absorbed material. Dispose according to local regulations.			
	7. HANDLING	AND STORAGE		
Precautions for safe handling				
Advice on safe handling	Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoidbreathing dust/fume/gas/mist/vapours/spray. Keep away from heat, hot surfaces, sparks, open flames and otherignition sources. No smoking. Ground and bond container and receiving equipment. Take measures to prevent thebuildup of electrostatic charge. Use non-sparking tools. Wash hands and skin thoroughly after handling. Use onlyoutdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.			
Conditions for safe storage, inc	luding any incompatibilities			
Storage Conditions		sed in a dry and well-ventilated plac resealed and kept upright to prever		
Incompatible materials	Keep away from strong oxidizing agents, strong alkalis, and strong acids.			
8.	EXPOSURE CONTROLS	S/PERSONAL PROTECTION		
Control parameters				
Exposure Guidelines		S 616-38-6: None Established. tert- WA 200 ppm OSHA PEL.	Butyl acetate - CAS 540-88-5:	
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
tert-Butyl acetate 540-88-5	TWA: 200 ppm	TWA: 200 ppm TWA: 950 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 950 mg/m ³	IDLH: 1500 ppm TWA: 200 ppm TWA: 950 mg/m ³	
Silicon Dioxide (Chemically Prepared) 112926-00-8	-	(vacated) TWA: 6 mg/m ³ TWA: 20 mppcf : (80)/(% SiO2) mg/m ³ TWA		

Appropriate engineering controls

Engineering Controls General/Local Ventilation Recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash skin immediately upon contact. Wash hands at mealtime and end of shift.

Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before and after breaks and at the end of the work day.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color

Property pН Melting point / freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative densitv** Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature Kinematic viscosity** Dynamic viscosity **Explosive properties Oxidizing properties**

Other Information

Softening point Molecular weight VOC Content (%) Density Bulk density liquid Transparent Liquid Transparent Liquid

Values

Not Relevant Not Available 149 °C 18.3 °C (65 °F) Not Available Not Relevant

7.0% 1.0% Not Available Not Available 1.056 @ 70 Degrees F Insoluble in water Not Available Not Available

Not Relevant Not Available No data available Not Available Not Available Odor Odor threshold Solvent No data available

Remarks • Method

CC (closed cup)

Reactivity Not Available

<u>Chemical stability</u> Stable. <u>Possibility of Hazardous Reactions</u> Hazardous polymerization does not occur. <u>Conditions to avoid</u> Heat, flames and sparks. **10. STABILITY AND REACTIVITY**

Incompatible materials

Keep away from strong oxidizing agents, strong alkalis, and strong acids. Hazardous Decomposition Products

Hazardous decomposition products formed under fire conditions, carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Direct contact and vapor inhalation.
Eye contact	Direct contact.
Skin contact	Direct contact.
Ingestion	Direct contact.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
tert-Butyl acetate	-	-	> 2230 mg/m ³ (Rat)4 h
540-88-5 Dimethyl carbonate	= 13000 mg/kg (Rat)	> 5 g/kg (Rabbit)	= 140 mg/L (Rat)4 h
616-38-6	3-3-(3 (33)

Information on toxicological effects

Symptoms

May cause drowsiness or dizziness if inhaled. May cause respiratory irritation. Causes serious eye irritation. Causes skin irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye Irritation Sensitization Germ cell mutagenicity Carcinogenicity	irritation Irritating to ey	able.	ge to eyes.	
Chemical Name	ACGIH	IARC	NTP	OSHA
Silicon Dioxide (Chemically Prepared) 112926-00-8	-	Group 3	-	-
Reproductive toxicity STOT - single exposure STOT - repeated exposur Aspiration hazard	Not Available Not Available Not Available Not Available Not Available			

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
tert-Butyl acetate	-	296 - 362: 96 h Pimephales	-
540-88-5		promelas mg/L LC50 flow-through	

Persistence and degradability

No data available.

Bioaccumulation

No data available.

Chemical Name	Partition coefficient
tert-Butyl acetate	1.38
540-88-5	

Other adverse effects

No data available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesUnder RCRA 40 CFR 261 this material is a hazardous waste. Dispose of in accordance
with all federal, state, and local regulations. If uncertain of local requirements, contact the
proper environmental authorities for information on waste disposal in your area. Contact a
licensed professional waste disposal service to dispose of this material.Contaminated packagingDispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT Special Provisions	UN1263, PAINT RELATED MATERIAL, 3, II Can be shipped as ORM-D Consumer Commodity via Ground if packaged in single containers of less than 1 Liter.
Marine pollutant	Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

	UN1263, PAINT RELATED MATERIAL, 3, II
IMDG_	UN1263, PAINT RELATED MATERIAL, 3, II

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure haza	rd Yes
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
tert-Butyl acetate 540-88-5	-	-	-	Х

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
tert-Butyl acetate	5000 lb	-	RQ 5000 lb final RQ
540-88-5			RQ 2270 kg final RQ
			J

US State Regulations

California Proposition 65

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammability 3	Instability 0	Physical and Chemical
HMIS	Health hazards 2	Flammability 3	Physical hazards 0	Properties - Personal protection X
Issue Date Revision Date Revision Note No data available Disclaimer	26-May-2 27-May-2			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet